



Vision AGUA





VISION AGUA

Vision AGUA

Refreshingly innovative!

The new Vision Agua is the best tool for increasing the number of channels and storage capacity on being connected up to the main machine or to a side payment module.

This new design features a height-adjustable innovative lift with a safety flap. This makes it possible to deliver products located higher up, thus guaranteeing maximum flexibility and versatility. Special guides have been incorporated allowing you to stock your vending machines with 1.5 litre bottles of water.

Moreover, both the glass (16 mm-thick Argon-filled glazed unit) and the vending machine door (increased insulation and thermal bridge breaking) offer improved thermal insulation in order to prevent condensation problems and optimise cooling capacity.



ENERGY CLASS
REGULATION (EU)
2019/2018



EASY FLEX
DELIVERY
SYSTEM



PRODUCT DELIVERY
DETECTION
PHOTOCELLS



POSSIBILITY OF
CREDIT CARD
PAYMENT



VANDAL-PROOF
LOCKING BAR



ENERGY-SAVING
LED LIGHTING



OPTIMISED
CAPACITY AND
VOLUME

	VISION ESPLUS REFRIGERER V7
Temperature	Includes cooling unit
Maximum capacity	Up to 126 bottles (with a diameter of up to 86 mm and a height of up to 324 mm)
Lift	Yes
Size (mm)	1,830 x 800 x 1,040 mm
Weight	320 kg
Power input	230 V, 50 Hz*
Cooling unit	Yes
Number of trays	3



FEATURES

- Vending machine limit temperature control through the module.
- Continuous performance self-testing.
- Programmable torque and speed of the motors for each channel from the main machine.
- Power mains: 230 V, 50 Hz.
- FIFO (First In First Out) System. Continuous renewal of new products. Product dispensing according to loading order.
- Correct sale detection with photocells.
- Energy-saving LED lighting with on/off programming.
- Flexible setup for vertical storage and dispensing. Channel and partition repositioning without tools.
- This new design features a height-adjustable innovative lift with a safety flap.

STRUCTURE

- Modular cabinet structure protected against rust and corrosion.
- Vandal-proof security lock with three anchor points.
- Injected foam insulation that guarantees maximum energy efficiency.
- 16 mm-thick Argon-filled glazed unit.
- Vandal-proof security lock with six anchor points.
- High-capacity cash box with lock.

CREDIT MANAGEMENT

- Through the Main, Vision or Coffeemar machines.
- Through the payment module. If you decide on Vision Agua, you may also optionally include:

- Banknote Reader.
- J140 card/key reader or any card reader that uses the MDB protocol.
- Up to four tubes to return manual loading excess.
- 10.1-inch touchscreen

PROGRAMMING

- Built-in programming and display system for the accounting data, accessible from inside the machine.
- Compatible with the EasyFlash tooling for stock control and accounting.
- Compatible with the latest telemetry systems for the end-to-end remote machine management.
- RS232 port with accounting data output.

OPTIONS

- Banknote Reader.
- J140 card/key reader or any card reader that uses the MDB protocol.
- Up to four tubes to return manual loading excess.
- Vandal-proof coin entry.
- Modem installation and J-Suite communication interface.
- Online operation with real-time control of users and sales.
- Up to four slave vending machine modules for higher capacity and number of selections.
- Client receipt printer.
- 10.1-inch advertisement screen or product selection touchscreen.

BENEFITS

- Space and capacity optimisation.
- Vertical dispensing.
- Improves brand presentation to the consumer.
- Identification and control. Detailed, real-time reports.
- Reduces electricity consumption thanks to improved insulation.

